

List of Veterinary Drugs Approved by CDSCO (As per database available)
This list is only for reference purpose and may not be used for License or other Statutory clearance

Drugs	strength	Dosage form	Firm's name	Indication	Date of approval
Pyrantel tartrate			Pfizer P Ltd, Bombay	In the treatment of infestation with G.I round worm in sheep, cattle & swine (Broad spectrum anthelmintic)	1969- April
Injection of vitamin A, D, B			Roche products, Bombay	Vitamin preparation.	1969- July
Disophenol	Each c.c contains; disophenol-45mg	Injection	Cyamid India Ltd, Bombay	Treatment of hook worm in dogs and cats.	1970- April
3-Methyl Pyrantel tartrate	100ml of the oral solution contains; 4gm of pyrantel tartrate (4%).	Oral Solution	Pfizer P Ltd, Bombay		1970- May
Clopidol			Dow Chemical, New Delhi	Coccidiosis	1972-January
3,5 - Dinitro-O-toluamide			Dow Chemical, New Delhi		1972-January
Marek's disease vaccine T.H.U Living		Vaccine	Pfizer ltd., Bombay		1972-April
Oxyclozanide			ICI		1972-November
Tetramisole Hydrochloride	Tetramisole Hydrochloride- 30%		The Alkali & chemical Corporation of India, Calcutta		1973-July
Furaltadone	Furaltadone-20%w/w	Powder	SKF Bangalore	Poultry disease only	1973-August

Nitrofurazone + Urea	Each bolus contains; Nitrofurazone-0.06gm, Urea- 6.21 gm	Bolus	SKF Bangalore		1973-August
Parbendazole (B vet C)			SKF Bangalore	Treatment of Helmenthiasis	1973-February
Trimethoprim + Sulphadoxine			Hoechst	Bacterial infections in cattle.	1973-September
Thiophanate			May & Baber Bombay	Anthelmentic	1973-December
Trimethoprim + Sulphadoxime	Trimethoprim - 4% w/v, Sulphadoxine - 20% w/v	Injection	Burroghs wellcare Co., Bombay		1974-July
Zoalene + Ethoxyquin	Zoalene-25%, Ethoxyquin- 0.125%		SKF Bangalore		1975- January
Virginiamycin	2% premix contains; 40gm of Virginiamycin, 50% granules per kg		SKF Bangalore		1975-July
Virginiamycin obtained from streptomyces virginiae			SKF Bangalore	Antibiotic- Indicated for growth propotion in poultry pigs and for prevention & treatment of swine dysentery.	1975-February
Carbadox			Pfizer Ltd., Bombay	Antibiotic- indicated in the treatment of swine dysentry and bacterial enteritis.	1975-July
Dimetridazole			May & Baber, Bombay	Growth promotant in poultry.	1975-August
Oxibendazole	Oxibendazole - 1.33% w/w		SKF, Bangalore	Veterinary anthelmentic- indicated in the treatment of gastro-intestinal nematodes, infections of cattle, sheep, horses and other domestic animals.	1976-May
Isometamidium Chloride			May & Baber		1977-January

FD 2

FD 2

FD 3

Suramin	Chandra Bhagat	1977-September
Albendazole	SKF Bangalore	1979-October
Fenbendazole	Hoechst	1979-January
Tylosin Tartrate	Srini Biologicals, Hyderabad	1980-May
Halofuginone (derivative of an alkaloid isolated from plant Dichora Febrifuga Lour)	Hoechst Pharmaceuticals, Bomaby	1980-July
Monensin sodium premix	Srinivas biologicals, Curewel	1985-September
Ivermectin concentrate solution/injection	Dyner pharma	1985-October
Busserelin acetate injection	Hoechst	1986-April
Carboprost tromethamine	Alved products	1986-May

Albendazole-2.5% w/v, 10% w/v

Suspension

Supension

Monensin sodium eq.to 100gm,200gm of monensin activity per kg.

Premix

Ivermectin concentrate solution-10% w/v, ivermectin injection-1% w/v.

Injection

Each ml contains; busserelin acetate 4.2mcg eq.to 4mcg of busserelin.

Injection

Each ml contains; dinoprost-5mg

Injection

Alved products

Injection

Alved products

Injection

Alved products

Injection

Alved products

Injection

Alved products

Luprostiol	Each vial contains; Luprostiol-7.5mg	Injection	Infar, Calcutta	Prostaglandin- Indicated in the treatment of corpora lutea, induction of abortion etc.	1986-June
Tiamulin soluble granules	Tiamulin hydrogen fumarate-45%	Soluble granule	Wander, Bombay	Indicated in the prevention & treatment of mycoplasma induced diseases of the respiratory tract including complications due to secondary infections only.	1986-August
Parvo-virus vaccine (killed)		Vaccine	Serum institute	Indicated in the treatment of parvo-virus infectious in dogs only.	1986-October
Canine distemper killed canine hepatitis leptorpira parvo virus vaccine		Vaccine	Glaxo	Vaccine against canine distemper parvo virus, infectious canine hepatitis and leptospirosis.	1986-November
Infectious coryza vaccine (Inactivated)		Vaccine	Venkaterwara		1987-March
Cloxacillin benzathine intramammary infusion	Each disposable plastic syringe contains; cloxacillin benzathine eq.to 500mg of cloxacillin	Injection	Ranbaxy, HMM		1987-October
Flumequine			Rakshak farm aid, Hydrabad	Respiratory tract infections.	1987-September
Rabies veterinary vaccine inactivated		Vaccine	Serum institutes		1987-November
Influenza vaccine inactivated for equine.		Vaccine	Hoechst	For treatment of Influenza in equine.	1987-November
Triclabendazole bolus and suspension	Bolus-250mg,900mg, suspension-5%,10%/w/v.	Bolus, suspension	Hindustan ciba geigy	Broad spectrum flubicide- Indicated in the treatment of chronic fasciola gigantica, F.hepatica in sheep, goats, cattle and buffaloes.	1988-September

Lincomycin + Spectinomycin sterile solution	Each ml contains; Lincomycin hcl-50mg, spectinomycin sulphate-100mg	Sterile solution	Unichem, Bombay	1988-October
Salinomycin premix	Salinomycin sodium-6%	Premix	Pfizer	1988-December
Salinomycin bulk			Pfizer	1989-January
Lincomycin + Neomycin + Methyl prednisolone	Each 10ml contains; lincomycin hcl monohydrate eq.to 200mg base, neomycin sulphate eq.to 200mg base, methyl prednisolone-5mg	Injection → 500 mg	Unichem, Bombay	1989-March
Equine influenza & equine rhino pneumonitis vaccine		Vaccine	B.C Animal Health productx, Indore	1989-March
Anti-rabies vaccine (Killed virus)		Vaccine	Eskayef, Bangalore	1989-March
Parvo virus vaccine (Killed)		Vaccine	Eskayef, Bangalore	1989-March
Flavophospholipol (Flavomycin)		Vaccine	Hoechst, India	1989-March
Cosumix plus	Each 100 gm cosumix plus powder contains; alpha chloropyridazine sodium-10g, methoprin-2gm	Powder	Hindusan ciba geigy	1989-September
Oxytetracycline long acting injectable	Each ml contains; oxytetracycline dihydrate in 2-pyrrolidone vehicle system-200mg	Injection	Pfizer P Ltd, Bombay	1990- May

Deltamethrine	Each litre contains; delta methrine-12.5gm	Liquid	Hoechst, Bombay	1990- May
Extraxt of mycobacterium vaccal	Each injection contains; extract of mycobacterium vaccal eq.to 100mg/ml proteins	Injection	Karnataka antibiotics, Bangalore	1990- August
Xylazine hcl	Each ml contains; xylazine-20mg		Indian immunological	1990- November
Diazinon (Neocidol)	Diazinon-20% w/w	Liquid	Hindusan ciba geigy	1990-April
Coligen (Escherichia coli bacterin vaccine)		Vaccine	B.C Animal health, Indore	1990-June
Sheep pox vaccine		Vaccine		1991- April
Buparvaquone	Buparvaquone solution for injection contains; 5% w/v buparvaquone.	Solution for injection	I.C.I Pharm, Calcutta	1991- April
Cephacetrile sodium intra mammary infusion	Each tube contains; cephacetrile sod.eq.to 235 mg of cephacetrile in 10gm of suspension.	Infusion	Ciba geigy, Trends pharma	13-05-1992
Candur P. Parvovirus vaccine	Inactivated canine parvovirus	Vaccine	Hoechst	09-07-1992
Triclobendazole + Levamisol hcl suspension	Each 100ml of suspension contains; triclabendazole 5gm, 12.0gm, levamisole-3.75gm, 7.5gm.	Suspension	Hindustan ciba geigy, Bombay	24-07-1992 01

Cumophos 5%				H S d ch er su pl Cand
Intra uterine infusion	Each 100gm syringe contains; oxytetracycline hcl-500mg, furazolidone-500mg, clioquinol-500mg	IUI		
Maduramicin 1% premix	Each kg of 1% premix contains; maduramicin amonium-10gm, maduramicin amonium-0.5%			Cy a
Diclofenac sodium inj.	Each ml contains; diclofenac sodium-25mg	Injection		S G Ph ar Ho e
Candur-R (purified chick emryo cell rabies vaccine)		Vaccine		
Levamisole + Oxyclozanide suspension	Levamisole-1.5%, oxyclozanide-3.0%	Suspension		Te b n ind us
Sulphachloropyrazine sodium 30%				Hir d gei sy Ran b
Enrofloxacin 5% oral solution & 10% inj.	i)-Each ml of inj. contains; enrofloxacin-100mg, 50mg, ii)-Each ml of oral solution contains; enrofloxacin-50mg, 100mg	Injection, solution		
Closantel 15% oral solution	Each 100ml contains; closantel-15.00gm	Solution		Cad il

Cumophos 5%				Hyderabad chemicals supplies ltd		05-07-1993
Intra uterine infusion	Each 100gm syringe contains; oxytetracycline hcl-500mg, furazolidone-500mg, clioquinol-500mg	IUI		Cadila veterinary		05-07-1993
Maduramicin 1% premix	Each kg of 1% premix contains; maduramicin amonium-10gm, maduramicin amonium-0.5%			Cyanamid India	As an acid for the prevention of coccidiosis in broiler chickens.	07-07-1993
Diclofenac sodium inj.	Each ml contains; diclofenac sodium-25mg	Injection		S G Pharmaceuticals		14-07-1993
Candur-R (purified chick emryo cell rabies vaccine)		Vaccine		Hoechst India ltd.		13-08-1993
Levamisole + Oxyclozanide suspension	Levamisole-1.5%, oxyclozanide-3.0%	Suspension		Tebma chemical industries		29-09-1993
Sulphachloropyrazine sodium 30%				Hindustan ciba geigy ltd.		18-10-1993
Enrofloxacin 5% oral solution & 10% inj.	i)-Each ml of inj. contains; enrofloxacin-100mg,50mg, ii)-Each ml of oral solution contains; enrofloxacin-50mg,100mg	Injection, solution		Ranbaxy labs.		10-01-1994
Closantel 15% oral solution	Each 100ml contains; closantel-15.00gm	Solution		Cadila Veterinary	Mature and immature fasciola species, haemonchus species, strongyloides species, and also for external parasites like oestrus ovis boophilus microplius hyalomma a. Anatolicum in cattle and sheep.	03-10-1994

Danofloxacin mesylate injection	Each ml contains; danofloxacin mesylate eq. to 25mg of danofloxacin.	Injection	Pfizer ltd.	Bovine respiratory disease in beef cattle; non lactating dairy cattle calves caused by pasteurella haemolytica, p. Multocida & enteric infection caused by E.coli/salmonella	12-08-1995
Nitroscanate tablets	Each tablet contains; nitroscanate-100mg, 500mg	Tablet	Hindustan ciba geigy ltd.	For control/eradication of hook worms/round worms/tape worms in puppies and adult dogs.	19-02-1996
Amitraz emulsifiable concentrate	Each ml emulsifiable concentrate contains; amitraz BP-50mg, 125mg	Emulsifiable concentrate	Hoechst India ltd.		06-08-1996
Cypermethrin high cis	Each litre contains; cypermethrin high cis-100gm		Hindustan ciba geigy ltd.	For the control of tick, flies, lice and mites on cattle, sheep, dogs and poultry.	16-09-1996
Amoxycillin trihydrate bolus	Each bolus contains; amoxycillin trihydrate-750mg	Bolus	Sarabhai chemicals		16-10-1996
Norfloxacina powder 10%	Each gm contains; norfloxacina USP-100mg	Powder	Meridian chemical p ltd.	Wide variety of infections caused by susceptible gram +ve and gram -ve organism including mixed infection in poultry.	12-03-1997
Doramectin 1% injectible solution	Each ml contains; doramectin-10mg	Injection	Pfizer ltd.	Treatment and control of gastrointestinal round worms, lung worms, eye worm, screw worms in cattle.	17-10-1997
Flumethrin 1% solution	Each 100ml contains; flumethrin-1gm	Solution	Bayer	Management of all tick species on the body of cattle.	29-10-1997
Moxidectin 1% w/v injection	Moxidectin-1% w/v	Injection	Cyanamid India ltd.	In the treatment and control of internal and external parasites in cattle.	16-01-1997
Kiltix collar	Every 10gm of collar contains; propoxur-1000gm, flumethrin-0.225gm	Collar	Bayer	For protection and control of ticks and fleas on dogs.	03-02-1997

Tiaprost trometamol injection (Iiren PGF2 alfa inj.)	Tiaprost trometamol-0.196mg eq.to 150mg of tiaprost	Injection	Hoechst marrion rousel ltd.	In inducing parturition in cows & buffalos.	19-02-1997
Apramycin sulphate	50gm in each 100gm.		Western hatcheries	Bacterial enteritis cellibacillosis, salmonellosis in poultry.	22-07-1997
Cloxacillin sodium + Colistinae sulphate intramammary infusion	Each (10ml) syringe contains; cloxacillin sodium-200mg, colistine sulphate-50000 units	Injection	Intas pharma		04-03-1998
Semduramicin sodium 5% premix	Each kg of premix contains; semduramicin-50gm (eq.to semduramicin sod.)	Premix	Pfizer ltd.		04-03-1998
Butafosfane + Cyanocobalamin injection	Each 100ml solution contains; butafosfane-10gm, cyanocobalamin-0.005gm	Injection	Bayer ltd.		04-03-1998
Toltrazuril solution	Each 100ml solution contains; toltrazuril-2.5gm	Solution	Bayer ltd.		30-04-1998
Omniclean	Alkyl dimethyl benzyl ammonium chloride-5%, nonyl phenol ethoxide-6%, inert ingredient-89%		Rallis India ltd.	Disinfectant preclean.	23-08-1999
Omnicide	Each litre have composition glutaraldehyde-15%, cocobenzyl dimethyl ammonium chloride-10%, dye<0.1%, perfume-6%, softwn water-0.5%		Rallis India ltd.	For the control of disease in animal premises.	24-08-1999

Fenbendazole + oxyclozamide susp. & Bolus	i)-1ml of suspension fenbendazole-2.5% w/w, 1.5%w/v, oxyclozamide- 7.5%w/v, 4.5%w/v, ii)-Each uncoated bolus contains; fenbendazole-175mg, oxyclozamide-625mg <i>525mg</i>	Suspension, Bolus	Hoechst marion roussel ltd.	In treatment of roundworms, lungworms, fluke in cattles & sheep only.	04-10-1999
Erythromycin	300mg/6ml	Single dose pack intramammary infusion	Allied pharmaceuticals ltd	For treatment of mastitis in lactating cows only.	07-02-2000
Doramectin 1% injectable solution	1% injectable solution	Injection	Pfizer ltd.	For control of GI round worm, eye worm, screw worms in sheep & swine.	03-10-2000
Imidacloprid cutaneous solution	Each tube contains; imidacloprid 40mg, 100mg, 250mg	Tube	Bayer, India ltd.	Prevention & treatment of flea infestation on dogs.	23-03-2001
Pyrantel embonate with fabental suspension	Each ml of suspension contains; pyrantel embonate- 14.4mg, febental-15mg	Suspension	Bayer, India ltd.	For treatment of infestation caused by round worms, ascarids, hook worms, whip worm in puppies & young dogs.	23-04-2001
Toltrazuril 2.5% solution	Each 100ml contains; toltrazuril-2.5gm	Solution	Bayer India ltd.	For treatment of coccidiosis in poultry.	08-06-2001
Meloxicam inj.	Each vial contains; meloxicam-5mg/ml	Injection	Intas pharma	Painful inflammatory conditions including arthritis in animals as well as pyrexia.	02-04-2002
Coumaphos + propxur + sulphanilamide powder	Composition: coumaphos- 3%, propoxur-2%, sulphanilamide-5%	Powder	Bayer India Ltd.	For use as larvicidal bacteriostatic wound dressing in cattle, sheep, pigs & horses.	23-04-2002
Tilmicosin aqu.conc. Liquid	Each ml of aq.conc.liquid contains; tilmicosin-250mg	Liquid	Indo biocare p ltd.	In treatment of chronic respiratory diseases in poultry	23-08-2002

Ceftiofur sodium inj.	Each 1gm & 4gm vial contains; (on reconstitution with 20ml or 80ml sterile WFI); ceftiofur sod.eq.to ceftiofur-50mg/ml	Injection	Aurobindo pharma	For treatment of bovine respiratory diseases, acute bovine interdigital necrobacillosis, bacterial respiratory diseases in swine, sheeps & horses, canine UTI & for control of mortality associated with E.coli in day old chickens & day old turkey poultry.	08-10-2002
Ceftiofur hcl liquid sterile suspension	Each ml suspension contains; ceftiofur hcl eq. to ceftiofur-50mg	Suspension		For treatment & control of swine & bovine bacterial respiratory diseases.	08-10-2002
Propofol clear soln for i.v inj.	Each ml of clear soln for inj.contains; propofol-50mg,200mg,400mg	Injection	Themis medicare	For induction in veterinary practise only	10-01-2003
Ivermectin (6mg) tablets	6mg	Tablet	Shalak, Ontop pharma		2004-June
"Hyperox" peracetic acid (+ hydrogen peroxide) liquid	Composition; peracetic acid, hydrogen peroxide (NLT 24.0%), peracetic acid (NLT 4.5%)	Liquid farm disinfectant	Pfizer ltd.	Disinfections of farms for livestock species.	2004-September
Nimesulide IM injection	Each ml contains; nimesulide-100mg	Injection	Indian immunologicals ltd.	For the treatment of pyrexia and inflammatory conditions in live stock.	11-10-2004
Ceftiofur sod. Inj.	Each vial contains; ceftiofur sodium sterile powder for injection-500mg	Injection	Alembic ltd.	Additional lower strength.	12-10-2004
Aspirin Bolus (Vet.) 6gm/bolus)				For Veterinary use.	21-11-2005

Calcium and Magnesium 24% (Veterinary) injectable solution	Each ml of injectable solution contains; calcium gluconate-190mg, calcium glucoheptone-45mg, butaphosphan-4.0mg, magnesium chloride hexahydrate-60mg	Injection	Bayer health care, Thane	For the treatment of milk fever, hypocalcaemia tetanias and disorders of calcium metabolism in dairy cattle.	16.09.08
Ceftiofur Crystalline free acid Suspension equi to Ceftiofur ---- 200 mg(veterinary)	Each ml suspension contains; ceftiofur crystalline free acid eq.to ceftiofur-200mg	Suspension	Pfizer ltd, Mumbai	For treatment of bovine respiratory disease (BRD), Shipping fever, pneumonia) associated with Mannheimia haemolytica, Pasteurella multocida, and Histophilus somni in beef, non-lactating dairy, and lactating dairy cattle.	01.10.08
Ceftiofur HCl Suspension (as HCl salt) ----500mg (veterinary)	Each 10ml syringe contains; ceftiofur eq.to (as the hydrochloride salt)-500mg	Suspension	Pfizer ltd, Mumbai	For treatment of sub clinical mastitis in dairy cattle at the time of dry off associated with staphylococcus aureus, Streptococcus dysgalactiae, and Streptococcus uberis.	01.10.08
Ceftiofur HCl Suspension (as HCl salt) ----125mg (veterinary)	Each 10ml syringe contains; ceftiofur eq.to (as the hydrochloride salt)-125mg	Suspension	Pfizer ltd, Mumbai	For treatment of clinical mastitis in lactating dairy cattle associated with coagulase-negative staphylococci, Streptococcus dysgalactiae, and Escherichia coli.	01.10.08
Paracetamol + Meloxicam + Benzyl Alcohol + Lignocaine (5mg/ml + 150mg/ml + 1% + 1%) Injection				Indicated for the treatment of mastitis, metritis, pneumonia, pleuritis, fever and relieving of acute pain in musculoskeletal disorders in animals.	30.09.08
Tyvalosin tartrate oral soluble granules Sachet 62.5% w/w (Veterinary)	Each sachet contains; tyvalosin (as tartrate)-62.5% w/w.	Oral solution	Scientific remedies pvt ltd., Gujarat	For the prevention and treatment of mycoplasma induced chronic respiratory disease in broilers and breeders, the prevention and treatment of diseases due to clostridium perfringens (necrotic enteritis, wet litter, cholangiohepatitis), the prevention and treatment of ornithobacterium rhinotracheale (ORT).	13.10.08

Cefquinome sulphate		Bulk	Orchid chemicals & Pharmaceuticals, Chennai	31.10.08
Selamectin Tropical solution (for veterinary use) 60mg/120mg per ml	salamectin-60mg, 120mg	Topical solution	Pfizer Ltd., Mumbai	14.01.09
Closantel Injection 100mg/ml (for veterinary use)	Each ml contains; closantel-100mg	Injection	Sarabhai zydus animal health, Vadodara	06.02.09
Cefovecin (as sodium) 80mg/ml Lyophilised powder for injection (Veterinary)	Each ml contains; cefovecin sodium eq.to 80.0mg cefovecin	Lyophilized powder	Pfizer Ltd., Mumbai	07.10.09
Isoflupredone Acetate Suspension for Injection (2mg per ml) (For Veterinary)				03.10.09
Deltamethrin and Piperonyl butoxide pour-on solution	Each ml of solution contains; deltamethrin 0.50% m/v, piperonyl butoxide-2.0% m/v	Pour-on solution	Intervet India pvt ltd., Pune	04.11.09

<p>FDC of butaphosphan + methyl hydroxybenzoate + cyanocobolamine powder</p>	<p>Each one kg of the formulation contains; butaphosphan-100gm, methyl hydroxybenzoate-1gm, cyanocobolamine-50gm</p>	<p>Oral powder</p>	<p>Bayer polychem Ltd., Thane</p>	<p>As vitamin and phosphorous supplement for livestock shrimp and fish.</p>	<p>20.03.09</p>
<p>Imidacloprid 10% + Moxidectin 1.0% & 2.5% Topical solution (Veterinary)</p>	<p>Each pipette contains: (a) 0.4ml, 1.0ml, 2.5ml, 4ml of 10% Imidacloprid and 1.0% moxidectin (b) 0.4ml, 0.8ml of 10% Imidacloprid and 2.5% moxidectin</p>			<p>For the treatment and prevention of flea infestations, prevention of heartworm disease and treatment of infections with gastrointestinal nematodes in dogs and cats.</p>	<p>03.10.09</p>
<p>Deltamethrin (0.50% m/v) and Piperonyl Butoxide (2.0% m/v) per ml Pour-On Solution</p>				<p>Ready to use pour-on for cattle, sheep and goats. 1. For use in Cattle to control ticks, stable flies, horn flies, cattle louse flies and nuisance flies e.g. house flies, to kill lice and protection against blackflies. 2. For use in sheep and goats for controlling Karoo paralysis, bontlegged and red-legged ticks.</p>	<p>29.10.09</p>
<p>Imidacloprid + Moxidectin spot on solution</p>	<p>For dogs; each pipette containing 0.4ml, 1.0ml, 2.5ml, 4ml of 10% imidacloprid and 2.5% moxidectin, For cats; each pipette containing 0.4ml, 0.8ml of 10% imidacloprid and 1.0% moxidectin</p>	<p>Solution</p>	<p>Bayer pharma</p>	<p>For the treatment and prevention of flea infestation, treatment of ear mite infestation, prevention of heartworm disease and treatment of infections with gastrointestinal nematodes in dogs and cats.</p>	<p>05.04.11</p>
<p>Diazinon flea drops spot on dogs 30.0 % w/w</p>	<p>Each ampoule pipette contains; diazinon-30.0% w/w</p>	<p>Spot on solution</p>	<p>Scientific remedies pvt ltd.</p>	<p>For dogs infected with fleas.</p>	<p>11.11.11</p>

FDC 14

15

16

17

Dog collar band containing deltamethrin 4% w/w	Each band contains; deltamethrin-4% w/w	Dog collar	Intervet India pvt. Ltd.	For control of infestations with ticks for 6 months, anti-feeding effect on phlebotomine sand flies for 5 to 6 months, prevention of infestations by fleas for 4 months, anti-feeding effect on adult mosquitoes for 6 months.	25.08.11
Cefuroxime Sodium 250mg intramammary infusion for Veterinary (PFS) (New dosage form)				For the treatment of Clinical mastitis in milking cows.	13.12.11
Clenbuterol Hydrochloride Solution for injection 30mcg/ml				For the treatment of equine respiratory diseases in horses where airway obstruction due to bronchospasm and/or accumulation of mucus is contributing factor and improved muco-ciliary clearance is desirable. The product should be used alone or as an adjuvant therapy. The product is of particular value in cases of: Acute, sub-acute and chronic infections where the presence of mucus and/or micro-organisms may stimulate bronchospasm e.g. Bronchitis, broncholitis and Bronchopneumonia - Acute, sub-acute and chronic respiratory allergies. - Chronic obstructive pulmonary disease (COPD).	01.07.2012
Cephapirin benzathine intramammary infusion	Each 10ml disposable syringe contains; 300mg of cephalapirin benzathine activity in a stable peanut-oil gel	Intramammary infusion	AHP manufacturing pharma	For the treatment of mastitis in dairy cattle during the dry period.	25.09.12
Cefalonium 250 mg suspension	Each 3G syringe contains; cefalonium dihydrate-250mg	Suspension for intramammary infusion	Intervet India pvt Ltd.	For routine dry cow therapy to treat existing sub-clinical infections and to prevent new infections which occur during the dry period.	08.04.13

**List of Veterinary Drugs Approved by CDSCO (As per database available)
This list is only for reference purpose and may not be used for License or other Statutory clearance**

S.No	Name of the firm	Date	License No.	Name of the drug approved	Indication	Dosage form
1		01-Jul-12		Clenbuterol Hydrochloride Solution for injection 30mcg/ml	For the treatment of equine respiratory diseases in horses infections where the presence of mucus and/or micro-organisms may stimulate bronchospasm e.g. Bronchitis, broncholitis and Bronchopneumonia - Acute, sub-acute and chronic respiratory allergies. - Chronic obstructive pulmonary disease (COPD) where airway obstruction due to bronchospasm and/or accumulation of mucus is contributing factor and improved muco-ciliary clearance is desirable. The product should be used alone or as an adjuvant therapy. The product is of particular value in casesof: - Acute, sub-acute and chronic	
2	M/s. Huvepharma SAE (Pune) Pvt. Ltd.	15-Jun-16	IMP-ND-87/2016	Gonadorelin [6-d-Phe] 0.05 mg/ml solution for injection (Vet.)	Control and induction procedures in cattle and pig reproduction. Therapy of ovarian infertility disorders or dysfunctions of the reproductive organs in cattle and horses. Cattle: Ovulation induction in cases of delayed ovulation due to LH deficiency. Ovulation induction/synchronization as part of a fixed-time insemination program. Stimulation of the ovaries in puerperium from the 12th day post partum. Ovarian cysts (due to LH deficiency). Pigs: Ovulation induction/synchronization within a program of fixed-time insemination and synchronized batch farrowing. Horses: Centrally dependent LH deficit induced insufficiency of the reproductive cycle (anoestrus, acycilia).	
3	M/s. Virbac Animal Healthcare Pharma India Pvt. Ltd	06-Jan-17	IMP-ND-231/2016	Hydrocortisone Aceponate 0.584 mg/ml Cutaneous Spray Solution (Vet.)	For symptomatic treatment of inflammatory and pruritic dermatosis in dogs	
4	M/s. Sanofi-synthelabo (I) Pvt. Ltd	14-Mar-17	IMP-ND-25/2017	Eprinomectin 0.5% for beef and dairy cattle	It is indicated for the treatment and control of gastrointestinal roundworm (including inhibited Ostertagia ostertagi), lungworm, grubs, sucking and biting lice, chorioptic and sarcoptic-mange mites, and horn flies in beef and dairy cattle of all ages, including lactating dairy cattle.	

5	M/s. Intervet Pvt. Ltd.	30-May-17	IMP-ND-37/2017	Fluralaner chewable tablets 112.5 mg/250 mg/500mg/1000mg/1400 mg	For the treatment of tick and flea infestations on dogs for 12 weeks. This veterinary medicinal product is a systemic insecticide and acaricide with a long duration of action that provides immediate and persistent tick (adult and juvenile Ixodes ricinus, Ixodes hexagonus, Ixodes scapularis, Ixodes holocyclus, Dermacentor reticulatus, Dermacentor variabilis and Rhipicephalus sanguineus) and flea (Ctenocephalides felis and Ctenocephalides canis) killing activity for 12 weeks. Fleas and ticks must attach to the host and commence feeding in order to be exposed to the active substance. the onset of effect is within 8 hours of attachment for fleas (C. felis) and 12 hours of attachment for ticks (I. ricinus) The product effectively controls environmental flea population in area to which treated dogs have access. The product can be used as part of a treatment strategy for the control of Flea Allergy Dermatitis (FAD)
6	M/s. Boehringer Ingelheim India Ltd.	03-Nov-17	IMP-ND-21/2017	Benestermeycin Intra-mammary suspension (vet.)	For the treatment of subclinical mastitis at drying off, and the prevention of new bacterial infections of the udder during the dry period in dairy cows, caused by bacteria susceptible to penicillin and framycetin
7	M/s. Huvepharma SEA (Pune) Pvt. Ltd	16-Jan-18	IMP-ND-08/2018	Denaverine Hydrochloride Injection (Vet.)	cattle : Facilitation of parturition in heifers; activation of interrupted parturitions; insufficient opening of the soft birth canal; narrowness of the cervix of first and second degree after correction of uterine torsions; improvement of the conditions for foetotomy; regulation of labour contractions of the uterus
8	M/s. Virbac Animal Health Pharma India Pvt. Ltd.	20-Feb-18	IMP-ND-27-2018	Fipronil 6.1 % m/v + Permethrin 54.5% m/V spot on solution for Dog (Vet.)	In dogs, to be used against infestations with fleas and/or ticks when repellent (anti feeding) activity is necessary against sand-flies and/or mosquitoes
9	M/s. Huvepharma SEA (Pune) Pvt. Ltd	20-Feb-18	IMP-ND-36/2018	Paziquantel 0.0065 g + Abamectin 0.00025 g tablets for cat (Vet)	In infestation of cats with endoparasites tapeworms (teniae), flukes, roundworms (nematodes); with ectoparasites - lice, fleas, pasture ticks, notedic mange (feline scabies), "walking" dandruff (cheyletiellosis) and other mange, and particularly in cases of complex endo and ectoparasitic invasion.
10	M/s Virbac Animal Health Pharma India Pvt. Ltd.	25-Jun-18	IMP-ND-172/2018	Fipronil 50mg/134 mg/268mg/402mg spot on solution for cats and dogs	For treatment of flea and tick infestation in cats and dogs (for veterinary use only)
11	M/s Intervet India Pvt Ltd	12-Nov-18	IMP-262/2018	Flunixin Meglumine pour on solution (Finadyne Transdermal)	For the reduction of fever and alleviation of clinical signs of inflammation associated with bovine respiratory disease for cattle For the reduction of fever and alleviation of clinical signs of inflammatory such as pain, swelling and firmness associated with mastitis for cattle

Solution

12	M/s Zoetis India Ltd	25-Feb-19	IMP-22/2019	Sarolaner Chewable Tablets 40 mg and 80 mg (SIMPARICA)	Sarolaner kills adult fleas, and is indicated for the treatment and prevention of flea infestations (Ctenocephalides felis), and the treatment and control of tick infestations (Amblyomma americanum (Lone star tick), Amblyomma maculatum (Gulf Coast tick), Dermacentor variabilis (American dog tick) and Rhipicephalus sanguineus (Brown dog tick) for one month in dogs 6 months of age or older and weighing 2.8 pounds or more	Chewable tablets
13	M/s Zoetis India Ltd	03-Jun-19	IMP-74/2019	Oclacitinib maleate 5.4 mg film coated tablet & 16 mg tablet (Brand-Apoquel) film coated tablets	For treatment of pruritis associated with allergic dermatitis in dogs For treatment of clinical manifestations of atopic dermatitis in dogs	Film coated tablets
14	M/s Boehringer Ingelheim India Pvt. Ltd	17-Jun-19	IMP-82/2019	Pimobendan 5 mg tablet	For the treatment of canine congestive heart failure originating from dilated cardiomyopathy or valvular insufficiency (mitral and /or tricuspid valve regurgitation) For the treatment of dilated cardiomyopathy in the preclinical stage (asymptomatic with an increase in left ventricular end-systolic and end-diastolic diameter) following echocardiographic diagnosis of cardiac disease	Chewable tablets
15	M/s Zoetis India Ltd	09-Jul-19	IMP-90/2019	Carpofen 100 mg tablets (Brand - Rimadyl) Chewable 100 mg)	For the relief of pain and inflammation associated with osteoarthritis and for the control of postoperative pain associated with soft tissue and orthopedic surgeries in dogs	Chewable tablets
16	M/s Boehringer Ingelheim India Pvt. Ltd	07-Aug-19	IMP-104/2019	Afoxolaner 68.0 mg and 136.0 mg chewable tablet	Treatment and prevention of flea infestation in dogs (Ctenocephalides felis and C canis) for at least 1 month. The product can be used as part of a treatment strategy for the control of fleas allergy dermatitis (FAD) Treatment and prevention of tick infestation in dogs (Ixodes ricinus, Rhipicephalus sanguineus, Dermacentor reticulatus, Dermacentor variabilis, Ixodes Scapularis, Amblyoma americanum, Haemaphysalis longicornis, Ixodes rholocyclus). One treatment prevents further tick infestation for one month.	Chewable tablets for oral administration

17	M/s Boehringer Ingelheim India Pvt. Ltd	09-Oct-19	IMP-132/2019	Fipronil 8.3% w/v, (S)-Methoprene 10% w/v, Praziquantel 8.3% w/v, Eprinomectin 0.4% w/v spot on solution	<p>This drug is recommended for cats with existing, or at risk from, mixed parasitic infections:</p> <p>Treatment and prevention of infections by fleas and ticks. Elimination of fleas on the cat within 24 hours and od ticks within 48 hours. One treatments prevent further infestations for at least one month.</p> <p>Prevention of environmental flea contamination by inhibiting the development of fleas immature stages (eggs larvae and pupae for over a month)</p> <p>The product can be used as a part of a treatment strategy for the control of Flea Allergy Dermatitis (FAD)</p> <p>Treatment of notoedric mange (Notoedrescati)</p> <p>Elimination of chewing lice (Felicola subrostratus)</p> <p>Treatment of infections with tapeworms (cestodes) (deplidium caninum Taenia taeniaeformis, Echinococcus multilocularis, adult joyeuxiellapasqualei, adult joyeuxiella fuhr, ammo. Diplopylidium spp)</p> <p>Treatment of infections with vesical worm (Capillaria plica)</p> <p>Treatment of lungworm infections (I3, L4 larvae and adults of Aelurostrongylus abstrusus and Troglstrongylus brevior), Capillaria spp.</p> <p>prevention of heartworm disease (Dirofilaria immitis larvae</p> <p>Spot on solution (0.3 ml & 0.9 ml dose)</p>
----	--	-----------	--------------	--	---